| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|---|---------------------|---------|------------------|
| L1 | 2 | "5189296".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 14:05 |
| L2 | 2 | "61112098".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 14:06 |
| L3 | 2 | "5189296".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 14:06 |
| L4 | 2 | "6538299".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 14:10 |
| L5 | 44 | 356/485.ccls. and (chip or semiconductor or wafer or substrate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 14:15 |
| L6 | 4099 | 324/750-765.ccls. and (power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR · | ON | 2005/08/10 16:40 |
| L7 | 0 | 6 and ((intergated adj circuit) same (measur\$\$ or detect\$4 or detect\$\$) adj2 circuit) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2005/08/10 14:18 |
| L8 | 245 | 6 and (physical adj3 contact\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 14:21 |

| L9 | 315 | 6 and (physical\$3 adj3 contact\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 14:21 |
|-----|------|--|---|----|------|------------------|
| L10 | 203 | 9 and (laser or energy or photodiode or capacitor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 14:24 |
| L11 | 109 | 10 and (kerf or edge or corner or margin) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 15:09 |
| L12 | 5 | 11 and wireless\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 15:09 |
| L13 | 15 | ("5032788").URPN. | USPAT | OR | ON | 2005/08/10 15:16 |
| L14 | 42 | 324/750-765.ccls. and (power) and kerf | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 16:10 |
| L15 | 1463 | 324/750-765.ccls. and (power) and (scrib\$4 same laser or light or coil) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 16:11 |
| L16 | . 24 | 324/750-765.ccls. and (power) and (scrib\$4 same (laser or light or coil)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 16:24 |
| L17 | 1877 | 250/492.2.ccls. and (chip or wafer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2005/08/10 16:25 |

| L18 | 516 | 17 and (measur\$4 or test\$4 or detect\$4) same circuit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 16:26 |
|-----|-----|---|---|----|----|------------------|
| L19 | 26 | 18 and (kerf or scrib\$4) and circuit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 16:26 |
| L20 | 153 | 324/750-765.ccls. and contactless | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:11 |
| L21 | 2 | 20 and optical adj power | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/10 17:11 |